

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Withdrawn-Currently Amended) A composition of foundation type comprising, in a physiologically acceptable medium, at least one organic coloring agent having reflectance with a dominant wavelength of a yellow or orange coloration in a range from 550 to 675 nm and reflective particles comprising at least one nacre, said composition having a hue angle h ranging from 40° to 70° , and a saturation C^* ranging from 20 to 50.
2. (Withdrawn) The composition according to claim 1, said composition having a hue angle ranging from 50° to 70° .
3. (Withdrawn) The composition according to claim 1, comprising from 0.5% to 30% by weight of the at least one coloring agent, relative to the total weight of the composition.
4. (Withdrawn) The composition according to claim 1, comprising from 2 to 20% by weight of the at least one coloring agent, relative to the total weight of the composition.
5. (Withdrawn) The composition according to claim 1, comprising from 5 to 18% by weight of the at least one coloring agent, relative to the total weight of the composition.
6. (Withdrawn) The composition according to claim 1, wherein the coloring agent is the sole coloring agent and produces a yellow or orange colored effect.
7. (Withdrawn) The composition according to claim 1, said composition containing several coloring agents and their mixture produces a yellow or orange colored effect.

8. (Withdrawn) The composition according to claim 1, comprising from 0.5% to 60% by weight of reflective particles, relative to the total weight of the composition.

9. (Withdrawn) The composition according to claim 1, comprising from 1 to 30 % by weight of reflective particles, relative to the total weight of the composition.

10. (Withdrawn) The composition according to claim 1, comprising from 2 to 20 % by weight of reflective particles, relative to the total weight of the composition.

11. (Withdrawn) The composition according to claim 1, comprising from 3 to 10 % by weight of reflective particles, relative to the total weight of the composition.

12. (Withdrawn) The composition according to claim 1, wherein the reflective particles have a color or glint selected from the group consisting of yellow, pink, red, bronze, orange, brown, gold and coppery.

13. (Withdrawn) The composition according to claim 1, wherein the said coloring agent is selected from the group consisting of mineral or organic pigments, coloring polymers, water-soluble or liposoluble dyes, organic lakes, metallic powders, and mixtures thereof.

14. (Withdrawn) The composition according to claim 13, wherein the mineral pigments are selected from the group consisting of yellow, red, and brown metal oxides.

15. (Withdrawn) The composition according to claim 13, wherein the mineral pigments are chosen among iron oxides.

16. (Withdrawn) The composition according to claim 13, wherein the water-soluble dye is selected from the group consisting of: brown dye identified by the name "caramel" according to the Color Index; yellow dyes identified by the Color Index numbers 10316, 13015, 18690, 18820, 18965, 19140, 45430, 47005, 75100 and known as Lactoflavin; the orange dyes identified by Color Index numbers 14270, 15510, 15980, 15985, 16230, 20170, 40215; red dyes identified by the Color Index numbers 14700, 14720, 14815, 15620,

16035, 16185, 16255, 16290, 17200, 18050, 18130, 18736, 24790, 27290, 45100, 45220, 45380, 45405, 45410, 45425, 45430, 75470; and mixtures thereof.

17. (Withdrawn) The composition according to claim 13, wherein the liposoluble dye is selected from the group consisting of: brown dye identified by Color Index number 12010; yellow dyes identified by Color Index numbers 12700, 21230, 47000, 75125, 75135; orange dyes identified by Color Index numbers 11920, 40800, 40820, 40825, 40850, 45396, 75120, 75130 and known as capasanthine; red dye identified by Color Index number 12150; and mixtures thereof.

18. (Withdrawn) The composition according to claim 1, wherein the at least one coloring agent is surface-treated.

19. (Withdrawn) The composition according to claim 1, wherein the reflective particles comprise particles comprising a natural or synthetic substrate at least partially coated with at least one layer of at least one metal or metallic compound.

20. (Withdrawn) The composition according to claim 19, wherein the substrate is selected from the group consisting of mono-material substrates, multi-material substrates, organic substrates and mineral substrates.

21. (Withdrawn) The composition according to claim 20, wherein the mineral substrate is selected from the group consisting of glasses, ceramics, graphite, metal oxides, aluminas, silicas, silicates, synthetic mica and mixtures thereof.

22. (Withdrawn) The composition according to claim 19, wherein the metallic compound is selected from the group consisting of titanium oxides, iron oxides, tin oxide, chromium oxide, barium sulphate, MgF_2 , CrF_3 , ZnS , ZnSe , SiO_2 , Al_2O_3 , MgO , Y_2O_3 , SeO_3 , SiO , HfO_2 , ZrO_2 , CeO_2 , Nb_2O_5 , Ta_2O_5 , MoS_2 and mixtures or alloys thereof.

23. (Canceled)

24. (Withdrawn) The composition according to claim 1, wherein the nacre is selected from the group consisting of nacles of golden color, bronze nacles, orange nacles, brown nacles, nacles with a coppery glint, nacles with a red glint, nacles with a yellow glint, nacles of red hue with a golden glint, pink nacles, black nacles with a golden glint, blue nacles, golden-green nacles, pink nacles, orange nacles, and mixtures thereof.

25. (Withdrawn) The composition according to claim 1, wherein the reflective particles comprise at least one goniochromatic coloring agent.

26. (Withdrawn) The composition according to claim 1, comprising at least one aqueous phase.

27. (Withdrawn) The composition according to claim 1, comprising at least one fatty phase.

28. (Withdrawn) The composition according to claim 27, said composition being anhydrous.

29. (Withdrawn) The composition according to claim 27, wherein said fatty phase contains at least one of: (a) at least one fatty substance that is liquid at room temperature and at atmospheric pressure and (b) at least one fatty substance that is solid at room temperature and at atmospheric pressure.

30. (Withdrawn) The composition according to claim 29, wherein said fatty substance that is liquid at room temperature and at atmospheric pressure comprises at least one volatile or non-volatile oil or a mixture thereof.

31. (Withdrawn) The composition according to claim 29, wherein said fatty substance that is solid at room temperature and atmospheric pressure is selected from the group consisting of waxes, pasty fatty substances, gums, and mixtures thereof.

32. (Withdrawn) The composition according to claim 1, comprising at least one additional filler.

33. (Withdrawn) The composition according to claim 1, further comprising at least one film-forming polymer.
34. (Withdrawn) The composition according to claim 1, said composition being in a fluid form selected from the group consisting of: liquid, paste, direct or inverse emulsion and gel.
35. (Withdrawn) The composition according to claim 1, said composition being in a solid form selected from the group consisting of: compact, pulverulent, cast form, and in the form of a stick.
36. (Withdrawn) The composition according to claim 35, said composition being in a form selected from the group consisting of: a foundation to be applied to the face or the neck, a concealer product, a complexion corrector, a tinted cream, a makeup base for the face and a makeup composition for the body.
37. (Withdrawn-Currently Amended) A composition of foundation type comprising, in a physiologically acceptable medium,
- at least one organic coloring agent having a reflectance with a dominant wavelength of a yellow or orange coloration in a range from 550 to 675 nm and reflective particles comprising at least one nacre, said composition having a reflectance ranging from 10% to 45% in the range of from 600 to 680 nm.
38. (Withdrawn) The composition according to claim 37, wherein the reflectance ranges from 12% to 40% in the range from 600 to 680 nm.
39. (Withdrawn) The composition according to claim 37, wherein the reflectance is less than 20% in the range from 450 to 500 nm.
40. (Withdrawn) The composition according to claim 37, comprising from 0.5% to 30% by weight of the at least one coloring agent, relative to the total weight of the composition.

41. (Withdrawn) The composition according to claim 37, comprising from 2 to 20% by weight of the at least one coloring agent, relative to the total weight of the composition.
42. (Withdrawn) The composition according to claim 37, comprising 5 to 18% by weight of the at least one coloring agent, relative to the total weight of the composition.
43. (Withdrawn) The composition according to claim 37, wherein the coloring agent is the sole coloring agent and produces a yellow or orange colored effect.
44. (Withdrawn) The composition according to claim 37, said composition containing several coloring agents and their mixture produces a yellow or orange colored effect.
45. (Withdrawn) The composition according to claim 37, comprising from 0.5% to 60% by weight of reflective particles, relative to the total weight of the composition.
46. (Withdrawn) The composition according to claim 37, comprising from 1 to 30 % by weight of reflective particles, relative to the total weight of the composition.
47. (Withdrawn) The composition according to claim 37, comprising from 2 to 20 % by weight of reflective particles, relative to the total weight of the composition.
48. (Withdrawn) The composition according to claim 37, comprising from 3 to 10 % by weight of reflective particles, relative to the total weight of the composition.
49. (Withdrawn) The composition according to claim 37, wherein the reflective particles have a color or glint selected from the group consisting of yellow, pink, red, bronze, orange, brown, gold and coppery.
50. (Withdrawn) The composition according to claim 37, wherein said coloring agent is selected from the group consisting of mineral or organic pigments, coloring polymers, water-soluble or liposoluble dyes, organic lakes, metallic powders, and mixtures thereof.

51. (Withdrawn) The composition according to claim 50, wherein the mineral pigments are selected from the group consisting of yellow, red, and brown metal oxides.

52. (Withdrawn) The composition according to claim 50, wherein the mineral pigments are chosen among iron oxides.

53. (Withdrawn) The composition according to claim 50, wherein the water-soluble dye is selected from the group consisting of: brown dye identified by the name "caramel" according to the Color Index; yellow dyes identified by Color Index numbers 10316, 13015, 18690, 18820, 18965, 19140, 45430, 47005, 75100 and known as Lactoflavin; orange dyes identified by Color Index numbers 14270, 15510, 15980, 15985, 16230, 20170, 40215; red dyes identified by Color Index numbers 14700, 14720, 14815, 15620, 16035, 16185, 16255, 16290, 17200, 18050, 18130, 18736, 24790, 27290, 45100, 45220, 45380, 45405, 45410, 45425, 45430, 75470; and mixtures thereof.

54. (Withdrawn) The composition according to claim 50, wherein the liposoluble dye is selected from the group consisting of: brown dye identified by Color Index number 12010; yellow dyes identified by Color Index numbers 12700, 21230, 47000, 75125, 75135; orange dyes identified by Color Index numbers 11920, 40800, 40820, 40825, 40850, 45396, 75120, 75130 and known as capasanthine; red dye identified by Color Index number 12150; and mixtures thereof.

55. (Withdrawn) The composition according to claim 37, wherein the at least one coloring agent is surface-treated.

56. (Withdrawn) The composition according to claim 37, wherein the reflective particles comprise particles comprising a natural or synthetic substrate at least partially coated with at least one layer of at least one metal or metallic compound.

57. (Withdrawn) The composition according to claim 56, wherein the substrate is selected from the group consisting of mono-material substrates, multi-material substrates, organic substrates and mineral substrates.

58. (Withdrawn) The composition according to claim 57, wherein the mineral substrate is selected from the group consisting of glasses, ceramics, graphite, metal oxides, aluminas, silicas, silicates, synthetic mica and mixtures thereof.

59. (Withdrawn) The composition according to claim 56, wherein the metallic compound is selected from the group consisting of titanium oxides, iron oxides, tin oxide, chromium oxide, barium sulphate, MgF_2 , CrF_3 , ZnS , ZnSe , SiO_2 , Al_2O_3 , MgO , Y_2O_3 , SeO_3 , SiO , HfO_2 , ZrO_2 , CeO_2 , Nb_2O_5 , Ta_2O_5 , MoS_2 and mixtures or alloys thereof.

60. (Canceled)

61. (Withdrawn) The composition according to claim 37, wherein the nacre is selected from the group consisting of nacles of golden color, bronze nacles, orange nacles, brown nacles, nacles with a coppery glint, nacles with a red glint, nacles with a yellow glint, nacles of red hue with a golden glint, pink nacles, black nacles with a golden glint, blue nacles, golden-green nacles, pink nacles, orange nacles, and mixtures thereof.

62. (Withdrawn) The composition according to claim 37, wherein the reflective particles comprise at least one goniochromatic coloring agent.

63. (Withdrawn) The composition according to claim 37, comprising at least one aqueous phase.

64. (Withdrawn) The composition according to claim 37, comprising at least one fatty phase.

65. (Withdrawn) The composition according to claim 64, said composition being anhydrous.

66. (Withdrawn) The composition according to claim 64, wherein said fatty phase contains at least one of: (a) at least one fatty substance that is liquid at room temperature and at atmospheric pressure and (b) at least one fatty substance that is solid at room temperature and at atmospheric pressure.

67. (Withdrawn) The composition according to claim 66, wherein said fatty substance that is liquid at room temperature and at atmospheric pressure comprises at least one volatile or non-volatile oil or a mixture thereof.

68. (Withdrawn) The composition according to claim 66, wherein said fatty substance that is solid at room temperature and atmospheric pressure is selected from the group consisting of waxes, pasty fatty substances, gums, and mixtures thereof.

69. (Withdrawn) The composition according to claim 37, comprising at least one additional filler.

70. (Withdrawn) The composition according to claim 37, comprising at least one film-forming polymer.

71. (Withdrawn) The composition according to claim 37, said composition being in a fluid form selected from the group consisting of: liquid, paste, direct or inverse emulsion and gel.

72. (Withdrawn) The composition according to claim 37, said composition being in a solid form selected from the group consisting of: compact, pulverulent, cast form, and in the form of a stick.

73. (Withdrawn) The composition according to claim 72, said composition being in a form selected from the group consisting of: a foundation to be applied to the face or the neck, a concealer product, a complexion corrector, a tinted cream, a makeup base for the face and a makeup composition for the body.

74. (Previously Presented) A method for making up dark skin, comprising applying to the skin at least one composition according to claim 1, wherein:

the dark skin has a mean lightness L^* of less than 60, as measured on a forehead, cheekbones and chin, in a CIE 1976 colorimetric space.

75. (Previously Presented) A method for making up dark skin, comprising applying to the skin at least one composition according to claim 37, wherein:

the dark skin has a mean lightness L^* of less than 60, as measured on a forehead, cheekbones and chin, in a CIE 1976 colorimetric space.

76. (Withdrawn-Currently Amended) A kit for making up skin comprising: at least one first composition and at least one second composition, each in a container,

the first composition comprising, in a first physiologically acceptable medium, at least one organic coloring agent having a reflectance with a dominant wavelength of a yellow or orange coloration in a range from 550 to 675 nm, and

the second composition comprising, in a second physiologically acceptable medium, at least reflective particles comprising at least one nacre.

77. (Withdrawn) The kit according to claim 76, wherein the coloring agent and reflective particles together provide a hue angle h ranging from 40° to 70° , and a saturation C^* ranging from 20 to 50.

78. (Withdrawn) The kit according to claim 76, wherein the coloring agent and reflective particles together provide a reflectance ranging from 10% to 45% in the range of from 600 to 680 nm.

79. (Currently Amended) A method for making up dark skin, comprising applying to the skin the first composition and the second composition according to claim 76, wherein:

the dark skin has a mean lightness L^* of less than 60, as measured on a forehead, cheekbones and chin, in a CIE 1976 colorimetric space.

80. (Previously Presented) A method according to claim 79, comprising applying a first coat of one of the first and second compositions followed by applying, over at least a portion of said first coat, a second coat of the other of the first and second compositions.

81-83. (Canceled)

84. (Withdrawn-Currently Amended) A composition of foundation type comprising, in a physiologically acceptable medium,

at least one organic coloring agent having a reflectance with a dominant wavelength of a yellow or orange coloration in a range from 550 to 675 nm and reflective particles comprising at least one nacre, said composition having a hue in the color range extending from pink-beige to orange-brown.

85. (Currently Amended) A method for making up dark skin, the method comprising:

applying to the skin a first composition comprising, in a first physiologically acceptable medium, at least one organic coloring agent having a reflectance with a dominant wavelength of a yellow or orange coloration in a range from 550 to 675 nm, and a second composition comprising, in a second physiologically acceptable medium, at least reflective particles comprising at least one nacre,

wherein:

the dark skin has a mean lightness L^* of less than 60, as measured on a forehead, cheekbones and chin, in a CIE 1976 colorimetric space.

86. (Previously Presented) The method according to claim 85, comprising applying a first coat of one of the first and second compositions followed by applying, over at least a portion of said first coat, a second coat of the other of the first and second compositions.

87. (Withdrawn) The composition according to claim 22, wherein the metallic compound is Fe_2O_3 .

88. (Withdrawn) The composition according to claim 59, wherein the metallic compound is Fe_2O_3 .

89. (New) The method according to claim 74, wherein the composition is free of free titanium dioxide.

90. (New) The method according to claim 75, wherein the composition is free of free titanium dioxide.

91. (New) The method according to claim 79, wherein the composition is free of free titanium dioxide.

92. (New) The method according to claim 85, wherein the composition is free of free titanium dioxide.